



ZETA

LED Driving Lights & Light Bars

ZETA07 7" 100W LED DRIVING LIGHT KIT

9-32
VOLTS

9812
TOTAL
LUMENS

6000K
COLOUR
TEMP.

VIBRATION
RESISTANT

IP68
PROTECTION




HEAVY
DUTY
BRACKET

2
LAMPS
PER KIT


2
YEAR
WARRANTY

FEATURES / SPECIFICATION

- ▶ 19 x Osram ® LED's
- ▶ Wattage: 100W
- ▶ Operating Voltage 9-32V DC
- ▶ Current Draw: 8.3A (12V) / 4A (24V)
- ▶ Colour Temperature: 6000K
- ▶ Raw Lumens: 12,200 each
- ▶ Effective Lumens: 9812 each
- ▶ IP Rating: IP68
- ▶ EMC Compliant
- ▶ 1 Lux: 738 Metres (Pair of lamps)
- ▶ Polycarbonate Lens
- ▶ Die-Cast Aluminium Housing
- ▶ 5mm Heavy Duty Mounting Bracket
- ▶ Sealed Deutsch Connector
- ▶ Beam Type: Combination Beam
- ▶ 2 Lamps supplied per kit
- ▶ Measurements: 178 x 189 x 65mm (inc. bracket)
- ▶ Optional Wiring loom available (p/no. ZETA01)



COMBINATION BEAM PATTERN (PAIR)





ZETA09


9" 145W

LED DRIVING LIGHT KIT


9-32 VOLTS	12,993 TOTAL LUMENS	6000K COLOUR TEMP.	VIBRATION RESISTANT
IP68 PROTECTION	HEAVY DUTY BRACKET	2 LAMPS PER KIT	2 YEAR WARRANTY

FEATURES / SPECIFICATION


- ▶ 37 x Osram ® LED's
- ▶ Wattage: 145W
- ▶ Operating Voltage 9-32V DC
- ▶ Current Draw: 11.6A (12V) / 5.8A (24V)
- ▶ Colour Temperature: 6000K
- ▶ Raw Lumens: 16,000 each
- ▶ Effective Lumens: 12,993 each
- ▶ IP Rating: IP68
- ▶ EMC Compliant
- ▶ 1 Lux: 846 Metres (Pair of lamps)
- ▶ Polycarbonate Lens
- ▶ Die-Cast Aluminium Housing
- ▶ 5mm Heavy Duty Mounting Bracket
- ▶ Sealed Deutsch Connector
- ▶ Beam Type: Combination Beam
- ▶ 2 Lamps supplied per kit
- ▶ Measurements: 228 x 241 x 70.5mm (inc. bracket)
- ▶ Optional Wiring loom available (p/no. ZETA01)



DIMENSIONS



COMBINATION BEAM PATTERN (PAIR)



ZETA12 12" 18W LED LIGHT BAR




FEATURES / SPECIFICATION

- ▶ 12 x Osram ® LED's
- ▶ Wattage: 18W
- ▶ Operating Voltage 9-32V DC
- ▶ Current Draw: 0.7/1.5A
- ▶ Colour Temperature: 6000K
- ▶ Raw Lumens: 1869
- ▶ Effective Lumens: 1238
- ▶ IP Rating: IP67
- ▶ 1 Lux: 190 Metres
- ▶ Polycarbonate Lens
- ▶ Die-Cast Aluminium Housing
- ▶ Sealed Deutsch Connector
- ▶ Beam Type: Combination Beam
- ▶ Measurements: 352 x 74.5 x 51mm (inc. bracket)
- ▶ Optional Wiring loom available (p/no. ZETA01)



DIMENSIONS



COMBINATION BEAM PATTERN



ZETA20 20" 32W LED LIGHT BAR




FEATURES / SPECIFICATION

- ▶ 20 x Osram ® LED's
- ▶ Wattage: 32W
- ▶ Operating Voltage 9-32V DC
- ▶ Current Draw: 1.3/2.7A
- ▶ Colour Temperature: 6000K
- ▶ Raw Lumens: 3008
- ▶ Effective Lumens: 1981
- ▶ IP Rating: IP67
- ▶ 1 Lux: 239 Metres
- ▶ Polycarbonate Lens
- ▶ Die-Cast Aluminium Housing
- ▶ Sealed Deutsch Connector
- ▶ Beam Type: Combination Beam
- ▶ Measurements: 508 x 74.5 x 51mm (inc. bracket)
- ▶ Optional Wiring loom available (p/no. ZETA01)



DIMENSIONS



COMBINATION BEAM PATTERN



ZETA20D 20" 72W DOUBLE LED LIGHT BAR




FEATURES / SPECIFICATION


- ▶ 40 x Osram ® LED's
- ▶ Wattage: 72W
- ▶ Operating Voltage 9-32V DC
- ▶ Current Draw: 2.8/6.0A
- ▶ Colour Temperature: 6000K
- ▶ Raw Lumens: 6837
- ▶ Effective Lumens: 4558
- ▶ IP Rating: IP67
- ▶ 1 Lux: 359 Metres
- ▶ Polycarbonate Lens
- ▶ Die-Cast Aluminium Housing
- ▶ Sealed Deutsch Connector
- ▶ Beam Type: Combination Beam
- ▶ Measurements: 565 x 85 x 57.5mm (inc. bracket)
- ▶ Optional Wiring loom available (p/no. ZETA01)



DIMENSIONS



COMBINATION BEAM PATTERN



ZETA01 LED WIRING HARNESS KIT 12/24V*

FEATURES / SPECIFICATION

- ▶ Suits ZETA07 & ZETA09 LED Driving lamps
- ▶ Suits ZETA12, ZETA20 & ZETA20D LED Light bars
- ▶ Input Voltage - 12/24V - (12 & 24V* relays included)
- ▶ Pre-wired with Deutsch connectors
- ▶ Designed to operate 2 LED lamps per loom
- ▶ Includes 12V Rocker Switch
- ▶ Designed as a complete Plug & play wiring assembly
- ▶ H4 & H7 High Beam adaptor plugs included





ZETA

Distributed by:



AAE Wholesale
3/32-34 Wodonga St
Beverley SA 5009



(08) 8268 0988



www.aewholesale.com.au